

FIG. 1
PRIOR ART







FIG. 2
PRIOR ART







600



EXAMPLES OF CONTENTS IN LOGGING

- SERVER-SIDE LOGGING ENTRY CONTENTS
 - ▶ DATE/TIME FOR ENTRY
 - ▶ ENTRY TYPE: INBOUND, OUTBOUND, INTERNAL
 - ▶ SOURCE ADDRESS/PORT
 - ▶ REQUEST HEADER
 - ▶ POST DATA
 - ▶ SERVER-SIDE SESSION STATE INFORMATION
 - ▶ BROWSER-SIDE SESSION STATE INFORMATION

- BROWSER-SIDE LOGGING ENTRY CONTENTS
 - ▶ DATE/TIME FOR ENTRY
 - ▶ ENTRY TYPE: INBOUND, OUTBOUND, LOCAL
 - ▶ REQUEST DATA
 - ▶ POST DATA
 - ▶ RESPONSE DATA
 - ▶ BROWSER-SIDE SESSION STATE INFORMATION

FIG.6A PRIOR ART


601



EXAMPLES OF CONTENTS IN LOGGING

DATE/TIME ENTRY FOR ENTRY
ENTRY TYPE (INBOUND, OUTBOUND, LOCAL,
SURVEY QUESTION, SURVEY RESPONSE)
HTTP "GET" DATA
HTTP "POST" DATA
HTTP RESPONSE DATA
PROXY/SURROGATE SERVER SESSION STATE INFORMATION
REQUESTING (BROWSER) ADDRESS/NAME/PORT
TARGET (SERVER) ADDRESS/NAME/PORT

FIG.6B






FIG.8




FIG.9




FIG. 10




FIG. 11

FIG. 12